



# KAMS/FPM Associated Research

## References

### General

Powell JW. Cerebral concussion: causes, effects, and risks in sports. *J Athl Train* 2001;36(3):307–11.

McCrea M, Hammeke T, Olsen G, Leo P, Guskiewicz K. Unreported concussion in high school football players: implications for prevention. *Clin JSport Med*. 2004;14(1):13–17.

Gessel LM, Fields SK, Collins CL, Dick RW, Comstock RD. Concussions among United States high school and collegiate athletes. *J Athl Train*. 2007;42(4):495–503.

Riemann, B. L., & Guskiewicz, K. M. (2000). Effects of mild head injury on postural stability as measured through clinical balance testing. *Journal of athletic training*, 35(1), 19.

Guskiewicz, K. M. (2011). Balance assessment in the management of sport-related concussion. *Clinics in sports medicine*, 30(1), 89-102.

Guskiewicz, K. M. (2003). Assessment of postural stability following sport-related concussion. *Current Sports medicine reports*, 2(1), 24-30.

Ruhe, A., Fejer, R., Gänsslen, A., & Klein, W. (2014). Assessing Postural Stability in the Concussed Athlete What to Do, What to Expect, and When. *Sports Health: A Multidisciplinary Approach*, 1941738114541238.

Yeung, L. F., Cheng, K. C., Fong, C. H., Lee, W. C., & Tong, K. Y. (2014). Evaluation of the Microsoft Kinect as a clinical assessment tool of body sway. *Gait & KAMS Posture*, 40(4), 532-538.

Clark, R. A., Pua, Y. H., Fortin, K., Ritchie, C., Webster, K. E., Denehy, L., & Bryant, A. L. (2012). The validity of the Microsoft Kinect for assessment of postural control. *Gait & posture*, 36(3), 372-377.

## **Multisegmental Trunk ROM**

Schleip, R., Naylor, I. L., Ursu, D., Melzer, W., Zorn, A., Wilke, H.-J., ... Klingler, W. (2006). Passive muscle stiffness may be influenced by active contractility of Intramuscular connective tissue. *Medical Hypotheses*, 66(1), 66–71.  
<https://doi.org/10.1016/j.mehy.2005.08.025>

Renstrom, P., & Johnson, R. J. (1989). Cross-Country Skiing Injuries and Biomechanics. *Sports Medicine*, 8(6), 346–370. <https://doi.org/10.2165/00007256-198908060-00004>

Mathieu, P. A., & Fortin, M. (2000). EMG and kinematics of normal subjects performing trunk flexion/extensions freely in space. *Journal of Electromyography and Kinesiology*, 10(3), 197–209. [https://doi.org/10.1016/S1050-6411\(00\)00008-0](https://doi.org/10.1016/S1050-6411(00)00008-0)

Neblett, R., Brede, E., Mayer, T. G., & Gatchel, R. J. (2013). What is the best surface EMG measure of lumbar flexion-relaxation for distinguishing chronic low back pain patients from pain-free controls? *The Clinical Journal of Pain*, 29(4), 334–340. <https://doi.org/10.1097/AJP.0b013e318267252d>

Louis, R. (1981). Vertebrodiscal and vertebromedullary dynamics. *Anatomia Clinica*. 3. 1-11.

Shacklock, M. (2005). *Clinical neurodynamics: a new system of musculoskeletal treatment*. Oxford: Elsevier.

Geisser, M. E., Ranavaya, M., Haig, A. J., Roth, R. S., Zucker, R., Ambroz, C., &

Caruso, M. (2005). A meta-analytic review of surface electromyography among persons with low back pain and normal, healthy controls. *The Journal of Pain*, 6(11), 711–726. <https://doi.org/10.1016/j.jpain.2005.06.008>

Leinonen, V., Kankaanpää, M., Airaksinen, O., & Hänninen, O. (2000). Back and hip extensor activities during trunk flexion/extension: Effects of low back pain and rehabilitation. *Archives of Physical Medicine and Rehabilitation*, 81(1), 32–37. [https://doi.org/10.1016/S0003-9993\(00\)90218-1](https://doi.org/10.1016/S0003-9993(00)90218-1)

Barrey, C., Roussouly, P., Perrin, G. et al. *Eur Spine J* (2011) 20(Suppl 5): 626. <https://doi-org.8443/10.1007/s00586-011-1930-3>

Ebenbichler, G. R., E. Oddsson, L. I., Kollmitzer, J., & Erim, Z. (2001). Sensory-motor control of the lower back: implications for rehabilitation. *Medicine & Science in Sports & Exercise*, 33(11), 1889.

McGill, S., Juker, D., & Kropf, P. (1996). Quantitative intramuscular myoelectric activity of quadratus lumborum during a wide variety of tasks. *Clinical Biomechanics*, 11(3), 170–172. [https://doi.org/10.1016/0268-0033\(95\)00056-9](https://doi.org/10.1016/0268-0033(95)00056-9)

Vad, V. B., Bhat, A. L., Basrai, D., Gebeh, A., Aspergren, D. D., & Andrews, J. R. (2004). Low Back Pain in Professional Golfers. *The American Journal of Sports Medicine*, 32(2), 494-497. doi:10.1177/0363546503261729

## **Overhead Squat**

Leetun, D. T., Ireland, M. L., Willson, J. D., Ballantyne, B. T., & Davis, I. M. (2004). Core Stability Measures as Risk Factors for Lower Extremity Injury in Athletes. *Medicine & Science in Sports & Exercise*, 36(6), 926. <https://doi.org/10.1249/01.MSS.0000128145.75199.C3>

Arnason, A., Sigurdsson, S. B., Gudmundsson, A., Holme, I., Engebretsen, L., & Bahr, R. (2004). Physical fitness, injuries, and team performance in soccer. *Medicine and Science in Sports and Exercise*, 36(2), 278–285. <https://doi.org/10.1249/01.MSS.0000113478.92945.CA>

Escamilla, R. F. (2001). Knee biomechanics of the dynamic squat exercise. *Medicine and Science in Sports and Exercise*, 127-141. doi:10.1097/00005768-200101000-00020

- Braidot, A. A., Brusa, M. H., Lestussi, F. E., & Parera, G. P. (2007). Biomechanics of front and back squat exercises. *Journal of Physics: Conference Series*, 90, 012009. doi:10.1088/1742-6596/90/1/012009
- Fry, A. C., Smith, J. C., & Schilling, B. K. (2003). Effect of Knee Position on Hip and Knee Torques During the Barbell Squat. *The Journal of Strength and Conditioning Research*, 17(4), 629. doi:10.1519/1533-4287(2003)0172.0.co;2
- Bell, D. R., Vesci, B. J., Distefano, L. J., Guskiewicz, K. M., Hirth, C. J., & Padua, D. A. (2012). Muscle Activity and Flexibility in Individuals With Medial Knee Displacement During the Overhead Squat. *Athletic Training & Sports Health Care*, 4(3), 117-125. doi:10.3928/19425864-20110817-03
- Gallina, A., Hunt, M. A., Hodges, P. W., & Garland, S. J. (2018). Vastus Lateralis Motor Unit Firing Rate Is Higher in Women With Patellofemoral Pain. *Archives of Physical Medicine and Rehabilitation*, 99(5), 907-913. doi:10.1016/j.apmr.2018.01.019
- Schoenfeld, B. J. (2010). Squatting Kinematics and Kinetics and Their Application to Exercise Performance. *Journal of Strength and Conditioning Research*, 24(12), 3497-3506. doi:10.1519/jsc.0b013e3181bac2d7
- Heijne, A., Fleming, B. C., Renstrom, P. A., Peura, G. D., Beynnon, B. D., & Werner, S. (2004). Strain on the Anterior Cruciate Ligament during Closed Kinetic Chain Exercises. *Medicine & Science in Sports & Exercise*, 36(6), 935-941. doi:10.1249/01.mss.0000128185.55587.a3
- Kushner, A. M., Brent, J. L., Schoenfeld, B. J., Hugentobler, J., Lloyd, R. S., Vermeil, A., . . . Myer, G. D. (2015). The Back Squat. *Strength and Conditioning Journal*, 37(2), 13-60. doi:10.1519/ssc.0000000000000130

## **Reverse Lunge**

- Willardson, J. M., Fontana, F. E., & Bressel, E. (2009). Effect of Surface Stability on

Core Muscle Activity for Dynamic Resistance Exercises. *International Journal of Sports Physiology and Performance*, 4(1), 97-109. doi:10.1123/ijsp.4.1.97

Comfort, P., Jones, P. A., Smith, L. C., & Herrington, L. (2015). Joint Kinetics and Kinematics During Common Lower Limb Rehabilitation Exercises. *Journal of Athletic Training*, 50(10), 1011-1018. doi:10.4085/1062-6050-50.9.05

Handy, R., & Kerksick, C. (2017). Reverse Lunge With Single-Arm Kettlebell Overhead Press. *Strength and Conditioning Journal*, 39(5), 89-93. doi:10.1519/ssc.0000000000000313

## **Balance**

Liebenson, C. (Ed.). (2007). *Rehabilitation of the Spine: A Practitioner's Manual* (Second). Philadelphia: Lippincott Williams & Wilkins.

Liebenson, C., & Yeomans, S. (2007). Quantification of Physical Performance Ability. In C. Liebenson (Ed.), *Rehabilitation of the Spine: A Practitioner's Manual* (Second). Philadelphia: Lippincott Williams & Wilkins.

Hurvitz, E. A., Richardson, J. K., Werner, R. A., Ruhl, A. M., & Dixon, M. R. (2000). Unipedal stance testing as an indicator of fall risk among older outpatients. *Archives of Physical Medicine and Rehabilitation*, 81(5), 587-591. [https://doi.org/10.1016/S0003-9993\(00\)90039-X](https://doi.org/10.1016/S0003-9993(00)90039-X)

Hungerford, B., Gilleard, W., & Hodges, P. (2003). Evidence of Altered Lumbopelvic Muscle Recruitment in the Presence of Sacroiliac Joint Pain. *Spine*, 28(14), 1593. <https://doi.org/10.1097/01.BRS.0000076821.41875.1C>

Myer, G. D., Ford, K. R., Divine, J. G., Wall, E. J., Kahanov, L., & Hewett, T. E. (2009). Longitudinal Assessment of Noncontact Anterior Cruciate Ligament Injury Risk Factors During Maturation in a Female Athlete: A Case Report. *Journal of Athletic Training*, 44(1), 101-109. <https://doi.org/10.4085/1062-6050-44.1.101>

Papageorgiou, A. C., Croft, P. R., Ferry, S., Jayson, M. I., & Silman, A. J. (1995). Estimating the prevalence of low back pain in the general population. Evidence from the South Manchester Back Pain Survey. *Spine*, 20(17), 1889-1894. Retrieved from <http://europepmc.org/abstract/med/8560337>

Page, P., Frank, C., & Lardner, R. (2010). Assessment and Treatment of Muscle Imbalance. United States: Human Kinetics. Retrieved from [https://books.google.com/books/about/Assessment\\_and\\_Treatment\\_of\\_Muscle\\_Imbal.html?id=TkMyMb\\_z6HkC](https://books.google.com/books/about/Assessment_and_Treatment_of_Muscle_Imbal.html?id=TkMyMb_z6HkC)

Byl, N., & Sinnott, P. (1991). Variations in balance and body sway in middle-aged adults: subjects with healthy backs compared with subjects with low back dysfunction. *Spine*, 16, 325–330.

Guskiewicz, K (2011). Balance Assessment in the Management of Sport-related Concussion. *Clin Sports Med* 30, 89-102. doi:10.1016/j.csm.2010.09.004

University of North Carolina's Sports Medicine Research. (n.d.) Balance Error Scoring System. Retrieved from <https://idph.iowa.gov/Portals/1/Files/ACBI/BESS%20manual%20310.pdf>

Distefano, L. J., Padua, D. A., Blackburn, J. T., Garrett, W. E., Guskiewicz, K. M., & Marshall, S. W. (2010). Integrated Injury Prevention Program Improves Balance and Vertical Jump Height in Children. *Journal of Strength and Conditioning Research*, 24(2), 332-342. doi:10.1519/jsc.0b013e3181cc2225

Trojan, T. H. (2006). Single leg balance test to identify risk of ankle sprains \* Commentary 1 \* Commentary 2. *British Journal of Sports Medicine*, 40(7), 610-613. doi:10.1136/bjism.2005.024356

## **Posture Angel**

Janda, V. (2002). The Cervico-Cervical Junction. A Neglected Clinical Entity. *Journal of Orthopaedic Medicine*, 24(3), 77–78. <https://doi.org/10.1080/1355297X.2002.11736169>

Kenneth K Hansraj. (2014). Assessment of stresses in the cervical spine caused by posture and position of the head. In *Neuro and Spine Surgery*.

Moore, M. K. (2004). Upper Crossed Syndrome and Its Relationship to Cervicogenic Headache. *Journal of Manipulative and Physiological Therapeutics*, 27(6), 414–420. <https://doi.org/10.1016/j.jmpt.2004.05.007>

Zazulak, B. T., Hewett, T. E., Reeves, N. P., Goldberg, B., & Cholewicki, J. (2007). The Effects of Core Proprioception on Knee Injury: A Prospective Biomechanical-Epidemiological Study. *The American Journal of Sports Medicine*, 35(3), 368–373. <https://doi.org/10.1177/0363546506297909>

Clarsen, B., Bahr, R., Andersson, S. H., Munk, R., & Myklebust, G. (2014). Reduced glenohumeral rotation, external rotation weakness and scapular dyskinesis are risk factors for shoulder injuries among elite male handball players: A prospective cohort study. *British Journal of Sports Medicine*, 48(17), 1327-1333. doi:10.1136/bjsports-2014-093702

Shanley, E., Rauh, M. J., Michener, L. A., Ellenbecker, T. S., Garrison, J. C., & Thigpen, C. A. (2011). Shoulder Range of Motion Measures as Risk Factors for Shoulder and Elbow Injuries in High School Softball and Baseball Players. *The American Journal of Sports Medicine*, 39(9), 1997-2006. doi:10.1177/0363546511408876

## **Single Leg Vertical Jump**

Hewett, T. E., Paterno, M. V., & Myer, G. D. (2002). Strategies for Enhancing Proprioception and Neuromuscular Control of the Knee. *Clinical Orthopaedics and Related Research*, 402, 76. Retrieved from [https://journals.lww.com/clinorthop/Abstract/2002/09000/Strategies\\_for\\_Enhancing\\_Proprioception\\_and.8.aspx](https://journals.lww.com/clinorthop/Abstract/2002/09000/Strategies_for_Enhancing_Proprioception_and.8.aspx).

Impellizzeri, F., Rampinini, E., Maffiuletti, N. and Marcora, S.(2007). A Vertical Jump Force Test for Assessing Bilateral Strength Asymmetry in Athletes. *Medicine & Science in Sports & Exercise*, 39(11), pp.2044-2050.

Wilk, K., Romaniello, W., Soscia, S., Arrigo, C. and Andrews, J. (1994). The Relationship Between Subjective Knee Scores, Isokinetic Testing, and Functional Testing in the ACL-Reconstructed Knee. *Journal of Orthopaedic & Sports Physical Therapy*, 20(2),pp.60-73.

Marques, M., Gil, H., Ramos, R., Costa, A. and Marinho, D. (2011). Relationships Between Vertical Jump Strength Metrics and 5 Meters Sprint Time. *Journal of Human Kinetics*, 29(-1).

Cronin, J. and Hansen, K. (2005). Strength and Power Predictors of Sports Speed. *The Journal of Strength and Conditioning Research*, 19(2), p.349. In text: (Cronin and Hansen, 2005)

- Vescovi, J. and Mcguigan, M. (2008). Relationships between sprinting, agility, and jump ability in female athletes. *Journal of Sports Sciences*, 26(1), pp.97-107. In text: (Vescovi and Mcguigan, 2008)
- Young, W., Cormack, S., and Crichton, M. (2011). Which Jump Variables Should Be Used to Assess Explosive Leg Muscle Function?. *International Journal of Sports Physiology and Performance*, 6(1), pp.51-57. In text: (Young, Cormack and Crichton, 2011)
- Liebenson, C. (2014). *Functional training handbook*. Philadelphia [etc.]: Wolters Kluwer Health, pp.407-409.
- Sierer, S., Battaglini, C., Mihalik, J., Shields, E. and Tomasini, N. (2008). The National Football League Combine: Performance Differences Between Drafted and Nondrafted Players Entering the 2004 and 2005 Drafts. *Journal of Strength and Conditioning Research*, 22(1), pp.6-12.
- Shimokochi, Y. and Shultz, S. (2008). Mechanisms of Noncontact Anterior Cruciate Ligament Injury. *Journal of Athletic Training*, 43(4), pp.396-408.
- Dufek, J. and Bates, B. (1990). The evaluation and prediction of impact forces during landings. *Medicine & Science in Sports & Exercise*, 22(3), pp.370-377.
- Steele, J. (1990). Biomechanical Factors Affecting Performance in Netball. *Sports Medicine*, 10(2), pp.88-102.
- Joyce, D. and Lewindon, D. (2016). *Sports injury prevention and rehabilitation*. London: Routledge, pp.85-86.
- Yeow, C., Lee, P. and Goh, J. (2011). An investigation of lower extremity energy dissipation strategies during single-leg and double-leg landing based on sagittal and frontal plane biomechanics. *Human Movement Science*, 30(3), pp.624-635.
- Pollard, C., Sigward, S., Ota, S., Langford, K. and Powers, C. (2006). The Influence of In-Season Injury Prevention Training on Lower-Extremity Kinematics during Landing in Female Soccer Players. *Clinical Journal of Sport Medicine*, 16(3), pp.223-227.
- Podraza, J. and White, S. (2010). Effect of knee flexion angle on ground reaction forces,



knee moments and muscle co-contraction during an impact-like deceleration landing: Implications for the non-contact mechanism of ACL injury. *The Knee*, 17(4), pp.291-295.

Whitting, J., Steele, J., Jaffrey, M., and Munro, B. (2009). Does Foot Pitch at Ground Contact Affect Parachute Landing Technique?. *Military Medicine*, 174(8), Pp.832-837.

Steele, J. and Brown, J. (1999). Effects of chronic anterior cruciate ligament deficiency on muscle activation patterns during an abrupt deceleration task. *Clinical Biomechanics*, 14(4), pp.247-257.

Bisseling, R., Hof, A., Bredeweg, S., Zwerver, J. and Mulder, T. (2008). Are the take-off and landing phase dynamics of the volleyball spike jump related to patellar tendinopathy?. *British Journal of Sports Medicine*, 42(6), pp.483-489.

Cleather, D. J. (2018). An important role of the biarticular hamstrings is to exert internal/external rotation moments on the tibia during vertical jumping. *Journal of Theoretical Biology*, 455, 101-108. doi:10.1016/j.jtbi.2018.07.013

Gheller, R. G., Pupo, J. D., Ache-Dias, J., Detanico, D., Padulo, J., & Santos, S. G. (2015). Effect of different knee starting angles on intersegmental coordination and performance in vertical jumps. *Human Movement Science*, 42, 71-80. doi:10.1016/j.humov.2015.04.010

Impellizzeri, F. M., Rampinini, E., Maffiuletti, N., & Marcora, S. M. (2007). A Vertical Jump Force Test for Assessing Bilateral Strength Asymmetry in Athletes. *Medicine & Science in Sports & Exercise*, 39(11), 2044-2050. doi:10.1249/mss.0b013e31814fb55c

Bell, D. R., Sanfilippo, J. L., Binkley, N., & Heiderscheit, B. C. (2014). Lean Mass Asymmetry Influences Force and Power Asymmetry During Jumping in Collegiate Athletes. *Journal of Strength and Conditioning Research*, 28(4), 884-891. doi:10.1519/jsc.0000000000000367

Numata, H., Nakase, J., Kitaoka, K., Shima, Y., Oshima, T., Takata, Y., ... Tsuchiya, H. (2018). Two-dimensional motion analysis of dynamic knee valgus identifies female high school athletes at risk of non-contact anterior cruciate ligament injury. *Knee Surgery, Sports Traumatology, Arthroscopy*, 26(2), 442-447.

## Single Leg Vertical Hop

- Tate, J., Suckut, T., Wages, J., Lyles, H., & Perrin, B. (2017). The Associations between Hip Strength and Hip Kinematics during a Single Leg Hop in Recreational Athletes Post Acl Reconstruction Compared to Healthy Controls. *International Journal of Sports Physical Therapy*, 12(3), 341–351.
- Brumitt, J., Engilis, A., Isaak, D., Briggs, A., & Mattocks, A. (2016). Preseason Jump and Hop Measures in Male Collegiate Basketball Players: An Epidemiologic Report. *International Journal of Sports Physical Therapy*, 11(6), 954–961.